

Standard Products Catalogue



Sepa 14, 11712 Tallinn, Eesti.

E-mail: info@mainsten.ee | Tel: +372 657 95 04


Sisukord

- Pole arms 3**
 - Single arm 3*
 - Double arm 4*
 - X-type arm 5*
 - Y-type arm..... 6*
 - V-type arm 90° 7*
 - V-type arm 120° 8*
 - Straight Arm..... 9*
- Pole arms with safety ring 10**
 - Single arm with safety ring..... 10*
 - Double arm with safety ring..... 11*
- Pole top arms 12**
 - Pole top single arm..... 12*
 - Pole top double arm..... 12*
 - Pole top V-arm..... 12*
- Wood- & Concrete pole arms 13**
 - Wood pole arm..... 13*
 - Concrete pole arm..... 13*
- Pole arms with flange and bracket..... 14**
 - Pole arm with bracket..... 14*
 - Pole arm with flange for wall mounting..... 15*
- Cross arms 16**
- Lightning poles 17**
- Stepped poles 18**
 - Standard stepped poles..... 18*
 - Stepped poles with flange..... 19*
- Traffic signal light poles 20**
 - Standard Traffic signal light poles..... 20*
 - Traffic signal light poles with flange..... 21*
- Additional information 22**
- Contacts 23**





Pole arms

Single arm




Single arms					
Item nr	H, mm	L, mm	D, mm	h, mm	weight, kg
P6010105	1000	1000	60,3	300	8,2
P6015105	1500	1000	60,3	300	10,2
P6015155	1500	1500	60,3	300	12,1
P6015255	1500	2500	60,3	300	15,8
P6020105	2000	1000	60,3	300	12,3
P6020155	2000	1500	60,3	300	14,1
P6025105	2500	1000	60,3	300	14,3
P6025155	2500	1500	60,3	300	16,2
P7610105	1000	1000	76	480	8,3
P7615105	1500	1000	76	480	16,3
P7615155	1500	1500	76	480	17,9
P7615255	1500	2500	76	480	21
P7620105	2000	1000	76	480	18,1
P7620155	2000	1500	76	480	19,4
P7625105	2500	1000	76	480	19,6
P7625155	2500	1500	76	480	21,4

NB! $\phi 76,1$ mm arms come with $\phi 60,3$ mm pressed ends






Pole arms

Double arm




Double arms					
Item nr	H, mm	L, mm	D, mm	h, mm	weight, kg
T6010105	1000	1000	60,3	300	14,4
T6015105	1500	1000	60,3	300	16,4
T6015155	1500	1500	60,3	300	20,5
T6015255	1500	2500	60,3	300	29,1
T6020105	2000	1000	60,3	300	17,6
T6020155	2000	1500	60,3	300	22,6
T6025105	2500	1000	60,3	300	16,4
T6025155	2500	1500	60,3	300	24,6
T7610105	1000	1000	76	480	18,8
T7615105	1500	1000	76	480	21,4
T7615155	1500	1500	76	480	26,6
T7615255	1500	2500	76	480	37,5
T7620105	2000	1000	76	480	24
T7620155	2000	1500	76	480	29,2
T7625105	2500	1000	76	480	26,6
T7625155	2500	1500	76	480	31,8

NB! Ø76,1mm arms come with Ø60,3mm pressed ends






Pole arms

X-type arm




X-type arms					
Item nr	H, mm	L, mm	D, mm	h, mm	Weight, kg
X601510	1500	1000	60,3	300	28,8
X761510	1500	1000	76,1	480	31,6

NB! $\phi 76,1$ mm arms come with $\phi 60,3$ mm pressed ends






Pole arms

Y-type arm




Y-type arms					
Item nr	H, mm	L, mm	D, mm	h, mm	Weight, kg
Y601510	1500	1000	60,3	300	22,6
Y761510	1500	1000	76,1	480	26,5

NB! Ø76,1mm arms come with Ø60,3mm pressed ends






Pole arms

V-type arm 90°




V-type arm 90°					
Item nr	H, mm	L, mm	D, mm	h, mm	Weight, kg
V60151090	1500	1000	60,3	300	16,4
V76151090	1500	1000	76,1	480	21,4

NB! $\phi 76,1$ mm arms come with $\phi 60,3$ mm pressed ends






Pole arms

V-type arm 120°



V-type arm 120°					
Item nr	H, mm	L, mm	D, mm	h, mm	Weight, kg
V601510120	1500	1000	60,3	300	16,4
V761510120	1500	1000	76,1	480	21,4

NB! $\phi 76,1$ mm arms come with $\phi 60,3$ mm pressed ends





Pole arms

Straight Arm


Straight Arms				
Item nr	H, mm	D, mm	h, mm	Weight, kg
S1560	1500	60,3	300	7,1
S1576	1500	76,1	480	10

NB! $\varnothing 76,1$ mm arms come with $\varnothing 60,3$ mm pressed ends




Pole arms with safety ring

Single arm with safety ring




Single arm with safety ring					
Item nr	H, mm	L, mm	D, mm	h, mm	Weight, kg
PO6020105	2000	1000	60,3	380	13,1
PO6020155	2000	1500	60,3	380	15,2
PO6020205	2000	2000	60,3	380	17,3
PO6020255	2000	2500	60,3	380	19,4





Pole arms with safety ring


Double arm with safety ring





Double arm with safety ring					
Item nr	H, mm	L, mm	D, mm	h, mm	Weight, kg
TO6020105	2000	1000	60,3	380	19,4
TO6020155	2000	1500	60,3	380	23,6
TO6020205	2000	2000	60,3	380	27,8
TO6020255	2000	2500	60,3	380	32





Pole top arms




Pole top single arm					
Item nr	H, mm	L, mm	D, mm	d, mm	Weight, kg
PPO766007	250	700	76	60,3	2,7




Pole top double arm					
Item nr	H, mm	L, mm	D, mm	d, mm	Weight, kg
TPO766002	250	200	76	60,3	2,7
TPO766003	250	300	76	60,3	3,6






Pole top V-arm 120°					
Item nr	H, mm	L, mm	D, mm	d, mm	Weight, kg
VPO766004	250	350	76	60,3	4,1





Wood- & Concrete pole arms



Wood pole arm				
Item nr	H, mm	L, mm	D, mm	Weight, kg
PPK480406	400	600	48,1	3,1
PPK480410	400	1000	48,1	4,3






Concrete pole arm				
Item nr	H, mm	L, mm	D, mm	Weight, kg
BPK480406	400	1000	48,1	4,9



Pole arms with flange

Pole arm with flange for bracket





Pole arm with flange for bracket			
Item nr	L, mm	D, mm	Weight, kg
VK6005	500	60,3	2,4
VK6010	1000	60,3	4,4




Pole arms with flange

Pole arm with flange for wall mounting

Pole arm with flange for wall mounting			
Item nr	L, mm	D, mm	Weight, kg
VVS30	300	60,3	2,2




Cross arms




Cross arms						
Item nr	H, mm	L, mm	D, mm	h, mm	light units	Weight, kg
TR601506	1500	600	60,3	300	2	14,7
TR601512	1500	1200	60,3	300	4	18,5
TR601515	1500	1500	60,3	480	5	20
TR761506	1500	600	76,1	480	2	19,5
TR761512	1500	1200	76,1	480	4	23,3
TR761515	1500	1500	76,1	480	5	24,8
TR891506	1500	600	76,1	480	2	23,3
TR891512	1500	1200	76,1	480	4	24,8
TR891515	1500	1500	76,1	480	5	19,5

0000°00°0000000000°00°H0H0H0H0H00°H0H0H0H0H
H-H0H0H00000000000000°H0H0H0H00°




Piksevardad



Piksevarras				
Tähis	H, mm	D, mm	h, mm	mass, kg
PV35	3500	60,3	480	12,5
PV45	4500	60,3	480	16,7
PV55	5500	60,3	480	20,9

Astmeline valgustipost




Astmeline valgustipost			
Tähis	H, mm	h, mm	mass, kg
SP3510860	3500	1500	19,9
SP4510860	4500	1500	24
SP5510860	5500	2000	29,9
SP6510860	6500	2000	34





Astmeline valgustipost


Kinnitusflansiga




Kinnitusflansiga valgustipost			
Tähis	H, mm	h, mm	mass, kg
FSP3010860	3000	1000	22,4
FSP4010860	4000	1000	26,5
FSP5010860	5000	1500	32,4
FSP6010860	6000	1500	36,5



Fooripost





Fooripost					
Tähis	H, mm	D, mm	teenindus- luuke, tk	h, mm	mass, kg
FP45108-1	4500	108	1	-	35,9
FP45108-2	4500	108	2	1200	35,9
FP55108-1	5500	108	1	-	43,7
FP55108-2	5500	108	2	1200	43,7
FP65108-1	6500	108	1	-	51,4
FP65108-2	6500	108	2	1200	51,4



Fooripost

Üleminekuga valgustipostile

Fooripost					
Tähis	H, mm	D, mm	d, mm	teenindus- luuke, tk	mass, kg
FPV6510860-2	6500	108	60,3	2	45,4



Lisainfo

- ❖ Kõik kataloogis väljatoodud tooted on kuumtsingitud vastavalt standardile ISO1461
- ❖ Soovi korral saab tooted lisaks pulbervärvida RAL-kataloogi numeratsiooni alusel
- ❖ Erilahenduste korral võta ühendust müügiagendiga

Kontakt

MAINSTEN OÜ

Sepa 14, 11712 Tallinn, Eesti

E-mail: info@mainsten.ee

Tel: +372 657 95 04

KMKR nr. EE100857043

Reg nr. 10962255

Pank: Swedbank

IBAN: EE302200221023422004

